

SURE Rapid Response – April 2010

What are the best methods for involving patients in health system decision making in Uganda?

Background

The importance of patient or community involvement in health care is widely recognized, particularly its potential to improve the availability and relevance of healthcare services to health service users. Community involvement or participation can also be viewed as a goal in itself by encouraging participative democracy, public accountability and transparency.

Key messages

- Methods for involving patients in health system decisionmaking vary with respect to their purpose, who is involved, the degree of involvement, the methods employed to support this involvement, and the context.
- There is a paucity of evaluations comparing the effects of different methods for involving patients, but there is a large amount of experience and anecdotal evidence that can inform decisions about how to involve patients.
- Principles that can guide decisions about how best to involve patients in health system decision-making include:
 - having agreed upon roles for patients including their involvement in decision making,
 - budgeting for the cost of patient involvement,
 - policymakers respecting the differing skills, knowledge and experience of patients,
 - acknowledging the contribution of patients,



Who requested this rapid response?

This summary includes:

- Key findings from research
- Considerations about the relevance of this research for health system decisions in Uganda

\mathbf{X} Not included:

- Recommendations
- Detailed descriptions

What is a SURE Rapid Response?

SURE Rapid Responses address the needs of policymakers and managers for research evidence that has been appraised and contextualised in a matter of hours or days, if it is going to be of value to them. The Responses address questions about arrangements for organising, financing and governing health systems, and strategies for implementing changes.

SURE – Supporting the Use of Research Evidence (SURE) for policy in African health systems is a collaborative project that builds on and supports the Evidence-Informed Policy Network (EVIPNet) in Africa and the Regional East African Community Health (REACH) Policy Initiative (see back page). SURE is funded by the European Commission's 7th Framework Programme.

www.evipnet.org/sure

Glossary of terms used in this report: www.evipnet.org/sure/rr/glossary

- providing training to patients to enable their involvement and to policymakers to enable them to involve patients effectively,
- making information underlying decisions and regarding decisions available to patients in formats and languages they can easily understand.

Summary of findings

Much of the terminology used to describe individuals who come into contact with health systems is problematic. Words such as 'patient', 'client', 'consumer' and 'user' are commonly used, but may be misleading or considered unacceptable by those they are applied to. Individuals affected by health systems decisions include patients, unpaid carers, parents or guardians of patients, users of health services, disabled people, members of the public who are the potential recipients of either health promotion or public health programs, people who believe they have been exposed to potentially harmful products or services, people who believe they have been denied products or services which they believe could have benefited them, as well as those who pay for health services (e.g. as tax payers). Depending on the context, people can be described as 'lay' people, 'non-experts', 'service users', 'members of the general public' or as 'citizens'. In this response, we use the term 'community' to include people in any of these various roles, and the term 'patient' when referring to individuals in any of these roles.

Patients and the community can be involved in health system decision-making in different ways. Involvement may be through consultations to elicit their views or through collaborative processes which involve individuals or groups of patients to allow debate. The groups may be long-term established patient or community organizations or they may be convened specially for a given consultation. They may be organized in different forums and through different media as single events, or repeated events on a large or small scale.

Principles that can guide the selection of options for involving patients and the community include:

- Meaningful participation
- Mutual respect
- Effective communication
- Transparency
- Accountability
- Evaluation
- Adequate resources
- Sustainability

Options or mechanisms of involving the community vary according to their purpose, the patients involved, the degree of involvement, the methods employed to support this involvement, and the context. The degrees of involvement vary from non-participation, manipulation or tokenism to empowerment through partnership, delegated authority or community control.

Consultative methods ask patients for their views or feedback and use these to inform decisionmaking. For example, policymakers may hold a one-off meeting with patients to ask them about their priorities, or write to patients in accessible terms to invite their views. Patients' views are not necessarily adopted, although they inform decisions.

Collaborative methods on the other hand are active, on-going partnerships with patients or communities. For example, patients may be committee members. There is still no guarantee that patients' views will determine decisions, but there is more opportunity for them to be heard and to influence decisions.

Forum for communication (for either consultative or collaborative methods) may include: Town or village meetings, written consultation, focus groups, interviews, committee meetings and permanent patient or community panels.

The involvement of patients in decision-making can be implied (e.g., through committee membership), without a clear description of how decisions are made, or explicit (e.g. through voting, ranking or scoring), with a clear description of how decisions are made.

Ways of recruiting patients or community representatives include targeted personal invitations to individuals or organizations and open invitations in mass media or by telephone, mail, email or personal contact.

Training and support for patients and community representatives may be needed to enable them to collaborate effectively. This may include training on how to participate in the forum that are used, education on relevant topics, counselling or mentoring, introductory workshops or orientation days.

Financial support is likely necessary, for example, for administration of the methods that are used, to pay staff to support patient or community involvement, to reimburse patients' or community representatives' expenses, and for honoraria,.

Problems encountered when implementing methods for involving patients

A number of challenges may be encountered when attempting to involve patients or communities in decisions about health systems. Some barriers to involving patients and strategies to address them are summarised in the table below.

Barriers	Strategies
It is quite common for governmental ministries to author pol-	Documentation of planned methods
icy documents that outline and promote participation and in-	for involving patients or communi-
volvement of citizens, but not construct the mechanisms for	ties
this participation.	
	Training for policymakers to enable
Policymakers and healthcare providers may not appreciate	them to involve patients effectively
the value of patient involvement view it as providing infor-	
mation to patients rather than obtaining their input into	Training for patients to enable their
health system decisions.	involvement
Patients may lack health literacy, necessary information,	
knowledge of legal frameworks, and skills needed to partici-	
pate effectively.	

Funding for patient or community involvement is often inad- equate or short term.	A realistic budget and plan for cov- ering the costs of effectively involv- ing patients
There may be divergent views about problems and solutions.	Involvement of patients or commu- nities in planning programmes for
Poorly defined roles and responsibilities for individuals or groups may lead to a lack of motivation for patients or the community to be involved.	involving them and ensure that they have a sense of ownership
	Training for patients or community
There may be geographic and bureaucratic barriers to partic- ipation.	representatives
	Effective facilitation of meetings
	Clearly defined roles and responsibilities
	Adequate funding
	Reduction of unnecessary bureau- cracy to a minimum

Conclusion

Patient or community involvement in decisions about health systems has the potential to improve healthcare services. However, its effectiveness is likely to depend on having explicit methods for involving patients, clearly defined roles and responsibilities, training for policymakers and patients, and adequate funding.

References

Nilsen ES, Myrhaug HT, Johansen M, Oliver S, Oxman AD. Methods of consumer involvement in developing healthcare policy and research, clinical practice guidelines and patient information material. Cochrane Database Syst Rev 2006, 3:CD004563.

Levers LL, Magweva FI, Mpofu E. A literature review of district health systems in East and Suthern Africa: Facilitators and barriers to participation in health. EQUINET Discussion paper 40.

Lee ACC, Lawn JE, Cousens S, Kumar V, Osrin D, Bhutta ZA, et al. Darmstadt Intrapartum-related deaths: evidence for action 4: Linking families and facilities for care at birth: What works to avert intraprtum-related deaths? Journal of Gynecology and Obstetrics 2009; 107:S65-S88.

Consultation Workshop Report on Patient Involvement Strategy. Health Canada's Office of Consumer and Public Involvement and Best Medicines Coalition (BMC). December 2002; Ottawa, Ontario. Available from: <u>http://www.hc-sc.gc.ca/ahc-asc/pubs/cons-</u> <u>pub/best_med_coa-meilleurs-eng.php</u>

Scobie AC and Persaud DD. Patient Engagement in Patient Safety: Barriers and Facilitators. Patient Safety and quality Healthcare. March 2010. Available from http://www.psqh.com/marchapril-2010/454-patient-engagement-in-patient-safety-barriers-and-facilitators.html

This summary was prepared by

Rhona Mijumbi, Supporting Use of Research Evidence for Policy (SURE Project), Office of the Principal, College of Health Sciences, Makerere University, New Mulago Hospital Complex, Administration Building, 2nd Floor, P.O Box 7072, Kampala, Uganda

Conflicts of interest

None known.

Acknowledgements

The following people provided comments on a draft of this Response: Andy Oxman, Nor-

wegian Knowledge Centre for the Health Services, Oslo, Norway; Simon Lewin, Norwegian Knowledge Centre for the Health Services, Oslo, Norway.

This Rapid Response should be cited as

Mijumbi R. Involving patients in health system decision making in Uganda: methods, implementation barriers and strategies. April 2010.

For more information contact

Rhona Mijumbi mijumbi@yahoo.com

SURE collaborators: REACEA Regional East African Community

Health Policy Initiative The Regional East African Community Health-Policy Initiative (REACH) links health researchers with policy-makers and other vital research-users. It supports, stimulates and harmonizes evidence-informed policymaking processes in East Africa. There are designated Country Nodes within each of the five EAC Partner States.

www.eac.int/health



The Evidence-Informed Policy Network (EVIPNet) promotes the use of health research in policymaking. Focusing on low and middle-income countries, EVIPNet promotes partnerships at the country level between policymakers, researchers and civil society in order to facilitate policy development and implementation through the use of the best scientific evidence available.

www.evipnet.org